Author Index

Alderlieste, M.F.J. and Van Eeuwijk, F.A., Assessment of concentrations of beet necrotic yellow vein virus by enzyme-linked immunosorbent assay, 163
Aranda-Anzaldo, A., Viza, D. and Busnel, R.G., Chemical inactivation of human immunodeficiency virus in vitro, 71
Arella, M., see Desmarteaux, D., 235
Arikawa, J., see Kariwa, H., 345
Aubert, J., see Brun-Vézinet, F., 177
Aymard, M., see Chomel, J.J., 337

Baldinotti, F., see Tozzini, F., 241
Ball, J.K., Beards, G.M. and Desselberger, U., A modified alkaline phosphatase enzyme amplification system and its application in an HIV antigen ELISA, 149
Banatvala, J.E., see O'Shea, S., 139
Bandecchi, P., see Tozzini, F., 241
Beall, E., see Yatsuhashi, H., 13
Beards, G.M., see Ball, J.K., 149
Bendinelli, M., see Tozzini, F., 241
Best, J., see O'Shea, S., 139
Bidwell, D., see Sa'adu, A., 1
Blackbourn, D.J., Chuang, L.F., Sutjipto, S., Killam, K.F. Jr., McCready, P.M., Doi, R.H., Li, Y. and Chuang, R.Y., Detection of simian immunodeficiency virus RNA from infected rhesus macaques by the polymerase chain reaction, 109
Blacklaws, B.A., see Reyburn, H.T., 305
Bootman, J.S. and Kitchin, P.A., An international collaborative study to assess a set of reference reagents for HIV-1 PCR, 23
Bosch, A., see Grabow, W.O.K., 201
Bowden, D.S., see Doultree, J.C., 321
Brun-Vézinet, F., Ingrand, D., Deforges, L., Gochi, K., Ferchal, F., Schmitt, M.-P., Jung, M., Masquelier, B., Aubert, J., Buffet-Janvresse, C. and Fleury, H., HIV-1 sensitivity to zidovudine: a consensus culture technique validated by genotypic analysis of the reverse transcriptase, 177
Buffet-Janvresse, C., see Brun-Vézinet, F., 177
Busnel, R.G., see Aranda-Anzaldo, A., 71

Ceccherini-Nelli, L., see Tozzini, F., 241
Cha, T.-A., see Yatsuhashi, H., 13
Charpentier, G., see Desmarteaux, D., 235
Chomel, J.J., Remilleux, M.F., Marchand, P. and Aymard, M., Rapid diagnosis of influenza A. Comparison with ELISA immunocapture and culture, 337
Christensen, L.S. and Normann, P., A rapid method for purification of herpesvirus DNA, 99
Chu, P.W.G., Westaway, E.G. and Coia, G., Comparison of centrifugation methods for molecular and morphological analysis of membranes associated with RNA replication of the flavivirus Kunjin, 219
Chuang, L.F., see Blackbourn, D.J., 109
Chuang, R.Y., see Blackbourn, D.J., 109
Coia, G., see Chu, P.W.G., 219
Cubero, J., see López-Moya, J.J., 129

Dalgarno, L., see Lee, E., 275
Damrow, T.A., see Hardy, C.T., 259
Deforges, L., see Brun-Vézinet, F., 177
Desmarteaux, D., Charpentier, G. and Arella, M., A simple method for the extraction of baculovirus DNA, 235
Desselberger, U., see Ball, J.K., 149
Díaz-Ruiz, J.R., see López-Moya, J.J., 129
Doi, R.H., see Blackbourn, D.J., 109
Dougherty, W.G., see Kohnen, P.D., 253
Doultree, J.C., Kiernan, R.E., Lee, J.Y., Bowden, D.S., McPhee, D.A., Tokuyasu, K.T. and Marshall, J.A., A new electron microscope positive staining method for viruses in suspension, 321
Dunn, L.A., see Selvey, L.A., 119

Ferchal, F., see Brun-Vézinet, F., 177
Fleury, H., see Brun-Vézinet, F., 177
Frazer, I.H., see Selvey, L.A., 119
Frenette, D., see Reddy, S.K., 103

Gochi, K., see Brun-Vézinet, F., 177
Gorman, J.J., Hodder, A.N., Selleck, P.W. and Hansson, E., Antipeptide antibodies for analysis of pathotype-specific variations in cleavage activation of the membrane glycoprotein precursors of Newcastle disease virus isolates in cultured cells, 55
Grabow, W.O.K., Puttergill, D.L. and Bosch, A., Propagation of adenovirus types 40 and 41 in the PLC/PRF/5 primary liver carcinoma cell line, 201

Hampton, R.O., see Kohnen, P.D., 253
Han, K.-H., Hollinger, F.B., Noonan, C.A. and Yoffe, B., Simultaneous detection of HBV-specific antigens and DNA in paraffin-embedded liver tissue by immunohistochemistry and in situ hybridization using a digoxigenin-labeled probe, 89
Hansson, E., see Gorman, J.J., 55
Hardy, C.T., Damrow, T.A., Villareal, D.B. and Kenny, G.E., Evaluation of viral-lysate enzyme-linked immunosorbent assay kits for detecting human immunodeficiency virus (type 1) infections using human sera standardized by quantitative Westen blotting, 259
Hashimoto, N., see Kariwa, H., 345
Hirai, K., see Yamaguchi, Y., 209
Hironaka, T., see Yamaguchi, Y., 209
Hodder, A.N., see Gorman, J.J., 55
Hollinger, F.B., see Han, K.-H., 89
Honma, M., see Ohara, Y., 83
Howard, C., see Sa'adu, A., 1
Husson, J., see Roussel, Ph.J., 155

Ingrand, D., see Brun-Vézinet, F., 177
Inoue, O., see Yatsuhashi, H., 13
Irvine, B., see Yatsuhashi, H., 13
Iwasaki, Y., see Ohara, Y., 83

Jung, M., see Brun-Vézinet, F., 177

Kajiwara, M., see Yamaguchi, Y., 209
Kariwa, H., Arikawa, J., Takashima, I. and Hashimoto, N., Development and application of protein G antibody assay for the detection of antibody to hantavirus, 345
Kenny, G.E., see Hardy, C.T., 259
Keyserling, H.L., see Torfason, E.G., 289
Kiernan, R.E., see Doultree, J.C., 321
Killam, K.F. Jr., see Blackbourn, D.J., 109
Kita, H., see Yamaguchi, Y., 209
Kitchin, P.A., see Bootman, J.S., 23
Koga, M., see Yatsuhashi, H., 13
Kohnen, P.D., Dougherty, W.G. and Hampton, R.O., Detection of pea seedborne mosaic potyvirus by sequence specific enzymatic amplification, 253
Kolberg, J., see Yatsuhashi, H., 13
Kuo, G., see Yatsuhashi, H., 13

Lee, E., Nestorowicz, A., Marshall, I.D., Weir, R.C. and Dalgarno, L., Direct sequence analysis of amplified dengue virus genomic RNA from cultured cells, mosquitoes and mouse brain, 275
Lee, J.Y., see Doultree, J.C., 321
Leverenz, G.J., see Schlauder, G.G., 189
Li, Y., see Blackbourn, D.J., 109
Ljungdahl-Ståhle, E., Trojnar, J., Öberg, B. and Wahren, B., Early appearance of simian immunodeficiency virus (SIV) antigen and antibodies as variables in evaluating antiviral drugs in macaques, 43
Locniskar, M., see Sa'adu, A., 1
López-Abella, D., see López-Moya, J.J., 129
López-Moya, J.J., Cubero, J., López-Abella, D. and Díaz-Ruíz, J.R., Detection of cauliflower mosaic virus (CaMV) in single aphids by the polymerase chain reactions (PCR), 129

Marchand, P., see Chomel, J.J., 337
Marshall, J.A., see Doultree, J.C., 321
Marshall, I.D., see Lee, E., 275
Masquelier, B., see Brun-Vézinet, F., 177
Matteucci, D., see Tozzini, F., 241
Mattsson, L., see Schlauder, G.G., 189
McAdam, K.P.W.J., see Sa'adu, A., 1
McConnell, I., see Reyburn, H.T., 305
McCready, P.M., see Blackbourn, D.J., 109
McPhee, D.A., see Doultree, J.C., 321
Mizuno, K., see Yatsuhashi, H., 13
Murray, B., see Selvey, L.A., 119
Mushahwar, I.K., see Schlauder, G.G., 189

Nagataki, S., see Yatsuhashi, H., 13
Nestorowicz, A., see Lee, E., 275
Noonan, C.A., see Han, K.-H., 89
Normann, P., see Christensen, L.S., 99

Öberg, B., see Ljungdahl-Ståhle, E., 43
Ohara, Y., Honma, M. and Iwasaki, Y., Sensitivity of the polymerase chain reaction for detecting human T-cell leukemia virus type I sequences in paraffin-embedded tissue. Effect of unbuffered formalin fixation, 83
O'Shea, S., Best, J. and Banatvala, J.E., A lymphocyte transformation assay for the diagnosis of congenital rubella, 139

Pallansch, M., see Torfason, E.G., 289
Pistello, M., see Tozzini, F., 241
Poli, A., see Tozzini, F., 241
Puttergill, D.L., see Grabow, W.O.K., 201

Reddy, S.K., Silim, A. and Frenette, D., Analysis of inter-serotypic structural relationships of infectious bursal disease virus using detergent solubilization and radioimmunoprecipitation with monoclonal antibodies, 103
Reimer, C.B., see Torfason, E.G., 289
Remilleux, M.F., see Chomel, J.J., 337
Reyburn, H.T., Roy, D.J., Blacklaws, B.A.,

Sargan, D.R. and McConnell, I., Expression of maedi-visna virus major core protein, p25: development of a sensitive p25 antigen detection assay, 305
Roussel, Ph.J. and Husson, J., Estimating viral concentrations from dilution counts: an improved HP48SX version of the 'MLE2' program, 155
Roy, D.J., see Reyburn, H.T., 305

Sa'adu, A., Walker, H., Locniskar, M., Bidwell, D., Howard, C., McAdam, K.P.W.J. and Voller, A., Comparison of an EBV transformed cell line and an EBV hybridoma cell line producing the same human anti-HBs monoclonal antibody, 1
Sargan, D.R., see Reyburn, H.T., 305
Schlauder, G.G., Leverenz, G.J., Mattsson, L., Weiland, O. and Mushahwar, I.K., Detection of hepatitis C viral RNA by the polymerase chain reaction in serum of patients with post-transfusion non-A, non-B hepatitis, 189
Schmitt, M.-P., see Brun-Vézinet, F., 177
Selleck, P.W., see Gorman, J.J., 55
Selvey, L.A., Dunn, L.A., Murray, B., Tindle, R.W. and Frazer, I.H., An ELISA capture assay for the E7 transforming proteins of HPV16 and HPV18, 119
Siebelink, K.H.J., see Tozzini, F., 241
Silim, A., see Reddy, S.K., 103
Sutjipto, S., see Blackbourn, D.J., 109

Takashima, I., see Kariwa, H., 345
Tateno, E., see Yamaguchi, Y., 209
Tindle, R.W., see Selvey, L.A., 119
Tokuyasu, K.T., see Doultree, J.C., 321
Torfason, E.G., Pallansch, M., Reimer, C.B., Wickliffe, C. and Keyserling, H.L., Immunoglobulin class and subclass-specific monoclonal antibody sandwich ELISA for the detection of antibodies against coxsackieviruses B, Types 1–5, 289
Tozzini, F., Matteucci, D., Bandecchi, P., Baldinotti, F., Poli, A., Pistello, M., Siebelink, K.H.J., Ceccherini-Nelli, L. and Bendinelli, M., Simple in vitro methods for titrating feline immunodeficiency virus (FIV) and FIV neutralizing antibodies, 241
Trojnar, J., see Ljungdahl-Ståhle, E., 43

Urdea, M.S., see Yatsuhashi, H., 13

Van Eeuwijk, F.A., see Alderlieste, M.F.J., 163
Villareal, D.B., see Hardy, C.T., 259
Viza, D., see Aranda-Anzaldo, A., 71
Voller, A., see Sa'adu, A., 1

Wahren, B., see Ljungdahl-Ståhle, E., 43
Walker, H., see Sa'adu, A., 1
Weiland, O., see Schlauder, G.G., 189
Weir, R.C., see Lee, E., 275
Westaway, E.G., see Chu, P.W.G., 219
Wickliffe, C., see Torfason, E.G., 289

Yamaguchi, Y., Hironaka, T., Kajiwara, M., Tateno, E., Kita, H. and Hirai, K., Increased sensitivity for detection of human cytomegalovirus in urine by removal of inhibitors for the polymerase chain reaction, 209
Yano, M., see Yatsuhashi, H., 13
Yatsuhashi, H., Inoue, O., Koga, M., Nagataki, S., Mizuno, K., Kolberg, J., Beall, E., Cha, T.-A., Irvine, B., Kuo, G., Urdea, M.S. and Yano, M., Comparison of hepatitis C virus markers in patients with NANB hepatitis, 13
Yoffe, B., see Han, K.-H., 89

Subject Index

AIDS, ELISA, Standardization, Parallelism, Quantitative Western blotting, 259
Alkaline phosphatase amplification system, ELISA, HIV-1 p24 antigen, Levamisole, 149
Antipeptide antibodies, Newcastle disease virus, Cleavage activation, Membrane glycoproteins, Cell culture, Pathotyping, 55
Antiviral drugs, gp36/41, IgG/IgM, Monkeys, Peptides, SIV, 43

Baculovirus, DNA extraction, Lysozyme, 235
Beet necrotic yellow vein virus, BNYVV, Enzyme-linked immunosorbent assay, ELISA, Validity assumptions, Design, 163
BNYVV, Beet necrotic yellow vein virus, Enzyme-linked immunosorbent assay, ELISA, Validity assumptions, Design, 163

Cauliflower mosaic virus, Polymerase chain reaction, Virus detection in single aphids, Virus–vector relationship, 129
Cell culture, Newcastle disease virus, Cleavage activation, Membrane glycoproteins, Antipeptide antibodies, Pathotyping, 55
Cell culture susceptibility, Enteric adenovirus, PLC/PRF/5 cell line, Quantitation, Plaque assay, 201
Cervix cancer, ELISA, Papillomaviruses, E7 protein, 119
Cleavage activation, Newcastle disease virus, Membrane glycoproteins, Cell culture, Antipeptide antibodies, Pathotyping, 55
Conformational epitopes, Infectious bursal disease virus, Monoclonal antibodies, Detergents, Serotypes, Radioimmunoprecipitation, 103
Congenital rubella, Lymphocyte transformation, 139
Coxsackieviruses, ELISA, Monoclonal, Subclass, 289
Cultures, Rapid diagnosis of influenza A, ELISA immunocapture, Directigen Flu-A, 337

Dengue virus, Polymerase chain reaction, Sequence analysis, 275
Design, Beet necrotic yellow vein virus, BNYVV, Enzyme-linked immunosorbent assay, ELISA, Validity assumptions, 163
Detergents, Infectious bursal disease virus, Monoclonal antibodies, Serotypes, Conformational epitopes, Radioimmunoprecipitation, 103
Digoxigeninlabeled DNA probe, Hepatitis B virus, HBV, Immunohistochemistry, In situ hybridization, 89
Dilution counts, Particle concentration estimate, Maximum likelihood, Pocket calculator, 155
Directigen Flu-A, Rapid diagnosis of influenza A, ELISA immunocapture, Cultures, 337
Disinfectants, Retrovirus, HIV-1, 71
DNA extraction, Baculovirus, Lysozyme, 235
DNA purification, Herpesvirus, Molecular epidemiology, 99

E7 protein, ELISA, Papillomaviruses, Cervix cancer, 119
EBV hybridoma, EBV transformed cell line, Human anti-HBs monoclonal antibody, 1
EBV transformed cell line, EBV hybridoma, Human anti-HBs monoclonal antibody, 1
Electron microscopy, Positive staining, Rotavirus, Human lymphotropic virus type I (HTLV-I), Human Immunodeficiency Virus Type 1 (HIV-1), Rubella virus, 321
ELISA, Papillomaviruses, E7 protein, Cervix cancer, 119
ELISA, HIV-1 p24 antigen, Alkaline phosphatase amplification system, Levamisole, 149
ELISA, Beet necrotic yellow vein virus, BNYVV, Enzyme-linked immunosorbent assay, Validity assumptions, Design, 163
ELISA, AIDS, Standardization, Parallelism, Quantitative Western blotting, 259
ELISA, Coxsackieviruses, Monoclonal, Subclass, 289
ELISA immunocapture, Rapid diagnosis of influenza A, Cultures, Directigen Flu-A, 337
Enteric adenovirus, PLC/PRF/5 cell line, Cell culture susceptibility, Quantitation, Plaque assay, 201
Enzyme-linked immunosorbent assay, Beet necrotic yellow vein virus, BNYVV, ELISA, Validity assumptions, Design, 163

Feline immunodeficiency virus, Syncytia formation, Virus titration assay, Neutralization assay, 241
Flavivirus, Kunjin virus, RNA polymerase, Membrane fractions, 219

Glass powder, HCMV/PCR inhibitors, Urine, Southern blot hybridization, Polyethylene glycol, 209

gp36/41, Antiviral drugs, IgG/IgM, Monkeys, Peptides, SIV, 43

Hantavirus, Protein G antibody assay, Seroepizootiological survey, Rodents, 345
HBV, Hepatitis B virus, Immunohistochemistry, In situ hybridization, Digoxigeninlabeled DNA probe, 89
HCMV/PCR inhibitors, Urine, Southern blot hybridization, Polyethylene glycol, Glass powder, 209
Hepatitis B virus, HBV, Immunohistochemistry, In situ hybridization, Digoxigeninlabeled DNA probe, 89
Hepatitis C, Non-A, non-B hepatitis, RT-PCR, 13
Hepatitis C viral RNA, Polymerase chain reaction, Hepatitis C virus, Post-transfusion non-A, non-B hepatitis, Interferon, 189
Hepatitis C virus, Polymerase chain reaction, Post-transfusion non-A, non-B hepatitis, Interferon, Hepatitis C viral RNA, 189
Herpesvirus, DNA purification, Molecular epidemiology, 99
HIV, PCR, Standardisation, Reference reagents, 23
HIV-1, Retrovirus, Disinfectants, 71
HIV-1 p24 antigen, ELISA, Alkaline phosphatase amplification system, Levamisole, 149
HTLV-I, PCR, Paraffin-embedded tissue, Unbuffered formalin, 83
Human Immunodeficiency Virus Type 1 (HIV-1), Positive staining, Rotavirus, Human lymphotropic virus type I (HTLV-I), Rubella virus, Electron microscopy, 321
Human anti-HBs monoclonal antibody, EBV transformed cell line, EBV hybridoma, 1
Human immunodeficiency virus, Zidovudine, Viral drug resistance, 177
Human lymphotropic virus type I (HTLV-I), Positive staining, Rotavirus, Human Immunodeficiency Virus Type 1 (HIV-1), Rubella virus, Electron microscopy, 321

IgG/IgM, Antiviral drugs, gp36/41, Monkeys, Peptides, SIV, 43
Immunohistochemistry, Hepatitis B virus, HBV, In situ hybridization, Digoxigeninlabeled DNA probe, 89
In situ hybridization, Hepatitis B virus, HBV, Immunohistochemistry, Digoxigeninlabeled DNA probe, 89
Infectious bursal disease virus, Monoclonal antibodies, Detergents, Serotypes, Conformational epitopes, Radioimmunoprecipitation, 103
Interferon, Polymerase chain reaction, Hepatitis C virus, Post-transfusion non-A, non-B hepatitis, Hepatitis C viral RNA, 189
Kunjin virus, Flavivirus, RNA polymerase, Membrane fractions, 219

Levamisole, ELISA, HIV-1 p24 antigen, Alkaline phosphatase amplification system, 149
Lymphocyte transformation, Congenital rubella, 139
Lysozyme, DNA extraction, Baculovirus, 235

MVV p25 expression, Yeast Ty-VLP expression system, Monoclonal and polyclonal antisera, p25 antigen detection assay, 305
Maximum likelihood, Particle concentration estimate, Dilution counts, Pocket calculator, 155
Membrane fractions, Flavivirus, Kunjin virus, RNA polymerase, 219
Membrane glycoproteins, Newcastle disease virus, Cleavage activation, Cell culture, Antipeptide antibodies, Pathotyping, 55
Molecular epidemiology, DNA purification, Herpesvirus, 99
Monkeys, Antiviral drugs, gp36/41, IgG/IgM, Peptides, SIV, 43
Monoclonal, Coxsackieviruses, ELISA, Subclass, 289
Monoclonal and polyclonal antisera, MVV p25 expression, Yeast Ty-VLP expression system, p25 antigen detection assay, 305
Monoclonal antibodies, Infectious bursal disease virus, Detergents, Serotypes, Conformational epitopes, Radioimmunoprecipitation, 103

Neutralization assay, Feline immunodeficiency virus, Syncytia formation, Virus titration assay, 241
Newcastle disease virus, Cleavage activation, Membrane glycoproteins, Cell culture, Antipeptide antibodies, Pathotyping, 55
Non-A, non-B hepatitis, Hepatitis C, RT-PCR, 13

Papillomaviruses, ELISA, E7 protein, Cervix cancer, 119
Paraffin-embedded tissue, PCR, HTLV-I, Unbuffered formalin, 83
Parallelism, AIDS, ELISA, Standardization, Quantitative Western blotting, 259
Particle concentration estimate, Maximum likelihood, Dilution counts, Pocket calculator, 155
Pathotyping, Newcastle disease virus, Cleavage activation, Membrane glycoproteins, Cell culture, Antipeptide antibodies, 55
PCR, HIV, Standardisation, Reference reagents, 23
PCR, HTLV-I, Paraffin-embedded tissue, Unbuffered formalin, 83

PCR, SIV, RNA, 109
PCR, PSbMV, Seed-transmission, Virus detection, 253
Peptides, Antiviral drugs, gp36/41, IgG/IgM, Monkeys, SIV, 43
Plaque assay, Enteric adenovirus, PLC/PRF/5 cell line, Cell culture susceptibility, Quantitation, 201
PLC/PRF/5 cell line, Enteric adenovirus, Cell culture susceptibility, Quantitation, Plaque assay, 201
Pocket calculator, Particle concentration estimate, Maximum likelihood, Dilution counts, 155
Polyethylene glycol, HCMV/PCR inhibitors, Urine, Southern blot hybridization, Glass powder, 209
Polymerase chain reaction, Cauliflower mosaic virus, Virus detection in single aphids, Virus–vector relationship, 129
Polymerase chain reaction, Hepatitis C virus, Post-transfusion non-A, non-B hepatitis, Interferon, Hepatitis C viral RNA, 189
Polymerase chain reaction, Dengue virus, Sequence analysis, 275
Positive staining, Rotavirus, Human lymphotropic virus type I (HTLV-I), Human Immunodeficiency Virus Type 1 (HIV-1), Rubella virus, Electron microscopy, 321
Post-transfusion non-A, non-B hepatitis, Polymerase chain reaction, Hepatitis C virus, Interferon, Hepatitis C viral RNA, 189
Protein G antibody assay, Hantavirus, Seroepizootiological survey, Rodents, 345
PSbMV, PCR, Seed-transmission, Virus detection, 253
p25 antigen detection assay, MVV p25 expression, Yeast Ty-VLP expression system, Monoclonal and polyclonal antisera, 305

Quantitation, Enteric adenovirus, PLC/PRF/5 cell line, Cell culture susceptibility, Plaque assay, 201
Quantitative Western blotting, AIDS, ELISA, Standardization, Parallelism, 259

Radioimmunoprecipitation, Infectious bursal disease virus, Monoclonal antibodies, Detergents, Serotypes, Conformational epitopes, 103
Rapid diagnosis of influenza A, ELISA immunocapture, Cultures, Directigen Flu-A, 337
Reference reagents, PCR, HIV, Standardisation, 23
Retrovirus, HIV-1, Disinfectants, 71
RNA, SIV, PCR, 109
RNA polymerase, Flavivirus, Kunjin virus, Membrane fractions, 219
Rodents, Protein G antibody assay, Hantavirus, Seroepizootiological survey, 345
Rotavirus, Positive staining, Human lymphotropic virus type I (HTLV-I), Human Immunodeficiency Virus Type 1 (HIV-1), Rubella virus, Electron microscopy, 321
RT-PCR, Hepatitis C, Non-A, non-B hepatitis, 13
Rubella virus, Positive staining, Rotavirus, Human lymphotropic virus type I (HTLV-I), Human Immunodeficiency Virus Type 1 (HIV-1), Electron microscopy, 321

Seed-transmission, PSbMV, PCR, Virus detection, 253
Sequence analysis, Dengue virus, Polymerase chain reaction, 275
Seroepizootiological survey, Protein G antibody assay, Hantavirus, Rodents, 345
Serotypes, Infectious bursal disease virus, Monoclonal antibodies, Detergents, Conformational epitopes, Radioimmunoprecipitation, 103
SIV, Antiviral drugs, gp36/41, IgG/IgM, Monkeys, Peptides, 43
SIV, PCR, RNA, 109
Southern blot hybridization, HCMV/PCR inhibitors, Urine, Polyethylene glycol, Glass powder, 209
Standardisation, PCR, HIV, Reference reagents, 23
Standardization, AIDS, ELISA, Parallelism, Quantitative Western blotting, 259
Subclass, Coxsackieviruses, ELISA, Monoclonal, 289
Syncytia formation, Feline immunodeficiency virus, Virus titration assay, Neutralization assay, 241

Unbuffered formalin, PCR, HTLV-I, Paraffin-embedded tissue, 83
Urine, HCMV/PCR inhibitors, Southern blot hybridization, Polyethylene glycol, Glass powder, 209

Validity assumptions, Beet necrotic yellow vein virus, BNYVV, Enzyme-linked immunosorbent assay, ELISA, Design, 163
Viral drug resistance, Human immunodeficiency virus, Zidovudine, 177
Virus detection, PSbMV, PCR, Seed-transmission, 253
Virus detection in single aphids, Cauliflower mosaic virus, Polymerase chain reaction, Virus–vector relationship, 129
Virus titration assay, Feline immunodeficiency virus, Syncytia formation, Neutralization assay, 241
Virus–vector relationship, Cauliflower mosaic virus, Polymerase chain reaction, Virus detection in single aphids, 129

Yeast Ty-VLP expression system, MVV p25 expression, Monoclonal and polyclonal antisera, p25 antigen detection assay, 305

Zidovudine, Human immunodeficiency virus, Viral drug resistance, 177